

d his

(FILE 'HOME' ENTERED AT 09:55:23 ON 25 JUN 2008)

FILE 'CAPLUS, CAOLD, MEDLINE, BIOSIS' ENTERED AT 09:55:48 ON 25 JUN 2008

E RANBY MATS/AU

L1 40 S E3-E5
L2 27 DUP REMOV L1 (13 DUPLICATES REMOVED)
L3 4 S L2 AND PROTHROMBIN
L4 1 S L2 AND (ROOM TEMPERATURE? OR AMBIENT TEMPERATURE?)
L5 23727 S PROTHROMBIN TIME
L6 18560 S L5 AND (BLOOD OR PLASMA)
L7 363 S L6 AND TEMPERATURE?
L8 97 S L7 AND (ROOM OR AMBIENT)
L9 65 DUP REMOV L8 (32 DUPLICATES REMOVED)
L10 8 S L9 AND (CLOTTING TIME?)
L11 57 S L9 NOT L10
L12 1 S L11 AND KIT?
L13 56 S L11 NOT L12
L14 13 S L13 AND FIBRINOGEN
L15 43 S L13 NOT L14
L16 6 S L15 AND INR
L17 37 S L15 NOT L16
L18 0 S L17 AND (INTERNATIONAL NORMALIZED RATIO?)
L19 0 S L17 AND (ISI OR INTERNATIONAL SENSITIVITY INDEX)
L20 3705 S KIT? AND TEMPERATURE?
L21 125 S L20 AND RECORD?
L22 21 S L21 AND (BLOOD OR PLASMA)
L23 1 S L22 AND (CLOT? OR COAGULAT?)
L24 47575 S KIT? AND (BLOOD OR PLASMA)
L25 1547 S L24 AND (CLOT? OR COAGULAT?)
L26 28 S L25 AND TEMPERATURE?
L27 26 DUP REMOV L26 (2 DUPLICATES REMOVED)

=>